

BATIMENT TERTIAIRE

Tourelles d'extraction et de désenfumage 400 °C - 2h

TARIFS



Modèles à jet	sans inter		avec inter		VAR			
					sans inter		avec inter	
TSH 7 - 4 pôles 3 vitesses mono (non agréée 400°C 2H)	514001	627,62						
TSHD 10 - 2 pôles tri	514011	826,50	514811	1017,21	514920	911,15	514960	1109,46
TSHD 10 - 4 pôles mono					514012	771,43	514812	959,47
TSHD 10 - 4 pôles tri					514922	785,96	514962	983,36
TSHD 20 - 4 pôles mono					514021	780,52	514821	969,57
TSHD 20 - 4 pôles tri					514924	795,04	514964	992,45
TSHD 20 - 6 pôles mono					514023	838,19	514823	1027,25
TSHD 20 - 6 pôles tri					514926	799,91	514966	996,10
TSHD 30 - 4 pôles mono					514031	1010,90	514831	1181,47
TSHD 30 - 4 pôles tri					514928	998,73	514968	1175,59
TSHD 30 - 6 pôles mono					514033	1012,01	514833	1180,59
TSHD 30 - 6 pôles tri					514930	972,21	514970	1149,10
TSHD 30 - 4/8 pôles tri *	514035	1252,97						
TSHD 40 - 4 pôles mono					514041	1071,58	514841	1240,16
TSHD 40 - 4 pôles tri	514042	1037,69	514842	1234,82	514932	1156,60	514972	1298,25
TSHD 40 - 6 pôles mono					514043	1122,27	514843	1288,62
TSHD 40 - 6 pôles tri					514934	1020,63	514974	1197,55
TSHD 40 - 4/8 pôles tri *	514045	1155,01						
TSHD 60 - 4 pôles tri	514051	1187,04	514851	1370,49	514936	1258,27	514976	1441,72
TSHD 60 - 6 pôles mono					514052	1280,88	514852	1455,57
TSHD 60 - 6 pôles tri					514938	1240,23	514978	1338,56
TSHD 60 - 8 pôles tri	514054	1212,49	514854	1431,55				
TSHD 60 - 4/6 pôles tri **	514057	1519,20						
TSHD 60 - 4/8 pôles tri *	514055	1505,78						
TSHD 60 - 6/8 pôles tri **	514056	1628,51						
TSHD 80 - 4 pôles tri	514061	1360,55	514861	1556,50	514940	1601,65	514980	1665,64
TSHD 80 - 6 pôles mono					514062	1388,94	514862	1548,06
TSHD 80 - 6 pôles tri	514063	1298,62	514863	1491,49	514942	1376,57	514982	1569,41
TSHD 80 - 8 pôles tri	514064	1353,49	514864	1529,71				
TSHD 80 - 4/6 pôles tri **	514067	1617,43						
TSHD 80 - 4/8 pôles tri *	514065	1639,29						
TSHD 80 - 6/8 pôles tri **	514066	1680,58						
TSHD 105 - 4 pôles tri	514071	1677,74	514871	1851,15	514944	1839,76	514984	2023,18
TSHD 105 - 6 pôles tri					514946	1551,60	514986	1756,37
TSHD 105 - 8 pôles tri	514073	1607,73	514873	1812,53				
TSHD 105 - 4/6 pôles tri **	514074	2407,06						
TSHD 105 - 4/8 pôles tri *	514075	1978,47						
TSHD 105 - 6/8 pôles tri **	514076	2027,50						
TSHD 110 - 6 pôles tri	514081	1670,14	514881	1874,94	514948	1845,44	514988	1975,13
TSHD 110 - 8 pôles tri	514082	1691,09	514882	1895,92				
TSHD 110 - 6/8 pôles tri **	514083	2089,78						
TSHD 110 - 6/12 pôles tri *	514084	2120,19						
TSHD 140 - 6 pôles tri	514091	2203,65	514891	2417,94	514950	2429,20	514990	2618,66
TSHD 140 - 8 pôles tri	514092	2164,18	514892	2416,83				
TSHD 140 - 6/8 pôles tri **	514094	3270,94						
TSHD 140 - 6/12 pôles tri *	514093	3387,52						
TSHD 195 - 6 pôles tri	514101	2597,00	514901	2776,05	514952	3405,83	514992	3606,61
TSHD 195 - 8 pôles tri	514102	2439,87	514902	2626,80				
TSHD 195 - 6/8 pôles tri **	514103	3809,48						
TSHD 195 - 6/12 pôles tri *	514104	3445,74						
TSHD 250 - 6 pôles tri	514111	3045,32	514911	3404,21				
TSHD 250 - 8 pôles tri	514112	2946,62	514912	3205,45				

BATIMENT TERTIAIRE

Tourelles d'extraction et de désenfumage 400 °C - 2h

TARIFS




Modèles à jet vertical	sans inter		avec inter		VAR			
					sans inter		avec inter	
TSVD 10 - 2 pôles tri	514201	916,42	514601	1115,24	514700	997,68	514740	1215,22
TSVD 10 - 4 pôles mono					514202	852,96	514602	1062,22
TSVD 10 - 4 pôles tri					514702	866,68	514742	1084,22
TSVD 20 - 4 pôles mono					514211	872,39	514611	1070,50
TSVD 20 - 4 pôles tri					514704	886,11	514744	1092,50
TSVD 20 - 6 pôles mono					514213	929,26	514713	1127,34
TSVD 20 - 6 pôles tri					514706	891,01	514746	1067,90
TSVD 30 - 4 pôles mono					514221	1184,27	514621	1377,28
TSVD 30 - 4 pôles tri					514708	1180,52	514748	1359,07
TSVD 30 - 6 pôles mono					514223	1192,31	514623	1362,55
TSVD 30 - 6 pôles tri					514710	1154,00	514750	1332,58
TSVD 30 - 4/8 pôles tri *	514225	1164,76						
TSVD 40 - 4 pôles mono					514231	1252,09	514631	1423,10
TSVD 40 - 4 pôles tri	514232	1230,83	514632	1417,46	514712	1312,44	514752	1491,73
TSVD 40 - 6 pôles mono					514233	1299,90	514633	1466,28
TSVD 40 - 6 pôles tri					514714	1202,59	514754	1381,91
TSVD 40 - 4/8 pôles tri *	514235	1423,98						
TSVD 60 - 4 pôles tri	514241	1423,78	514641	1622,36	514716	1509,20	514756	1707,81
TSVD 60 - 6 pôles mono					514242	1480,37	514642	1684,80
TSVD 60 - 6 pôles tri					514718	1386,34	514758	1585,22
TSVD 60 - 8 pôles tri	514244	1459,22	514644	1677,44				
TSVD 60 - 4/6 pôles tri **	514247	1743,36						
TSVD 60 - 4/8 pôles tri *	514245	1736,06						
TSVD 60 - 6/8 pôles tri **	514246	1856,93						
TSVD 80 - 4 pôles tri	514251	1565,66	514651	1790,53	514720	1725,93	514760	1934,51
TSVD 80 - 6 pôles mono					514252	1607,26	514652	1785,46
TSVD 80 - 6 pôles tri	514253	1539,47	514653	1748,02	514722	1631,82	514762	1804,66
TSVD 80 - 8 pôles tri	514254	1566,37	514654	1784,92				
TSVD 80 - 4/6 pôles tri **	514257	1849,60						
TSVD 80 - 4/8 pôles tri *	514255	1869,33						
TSVD 80 - 6/8 pôles tri **	514256	1906,16						
TSVD 105 - 4 pôles tri	514261	2107,18	514661	2299,34	514724	2233,59	514764	2425,78
TSVD 105 - 6 pôles tri					514726	1931,30	514766	2125,36
TSVD 105 - 8 pôles tri	514263	1979,59	514663	2171,78				
TSVD 105 - 4/6 pôles tri **	514264	2881,31						
TSVD 105 - 4/8 pôles tri *	514265	2478,33						
TSVD 105 - 6/8 pôles tri **	514266	2527,36						
TSVD 110 - 6 pôles tri	514271	2039,06	514671	2231,22	514728	2161,41	514768	2353,57
TSVD 110 - 8 pôles tri	514272	2060,04	514672	2252,20				
TSVD 110 - 6/8 pôles tri **	514273	2588,48						
TSVD 110 - 6/12 pôles tri *	514274	2618,93						
TSVD 140 - 6 pôles tri	514281	2652,62	514681	2846,17	514730	2811,80	514770	3005,32
TSVD 140 - 8 pôles tri	514282	2687,39	514682	2878,71				
TSVD 140 - 6/8 pôles tri **	514284	3832,23						
TSVD 140 - 6/12 pôles tri *	514283	3750,32						
TSVD 195 - 6 pôles tri	514291	3019,00	514691	3212,58	514732	3776,37	514772	3969,89
TSVD 195 - 8 pôles tri	514292	2721,99	514692	2915,54				
TSVD 195 - 6/8 pôles tri **	514293	4313,67						
TSVD 195 - 6/12 pôles tri *	514294	3795,12						
TSVD 250 - 6 pôles tri	514296	3764,71	514696	4052,74				
TSVD 250 - 8 pôles tri	514297	3658,00	514697	3854,02				

BATIMENT TERTIAIRE

Tourelles d'extraction et de désenfumage 400 °C - 2h

TARIFS




Supports standard

TSH 7	514301	93,23
TSHD - TSVD 10 à 40	514303	146,95



Cadres de scellement

TSH 7	514305	87,96
TSHD - TSVD 10 et 20	514307	101,54
TSHD - TSVD 30 et 40	514309	114,85
TSHD - TSVD 60 et 80	514311	130,09
TSHD - TSVD 105 et 110	514313	150,10
TSHD - TSVD 140, 195 et 250	514315	171,35




Volets d'économie d'énergie

TSHD - TSVD 10 et 20	514323	172,19
TSHD - TSVD 30 et 40	514325	216,46
TSHD - TSVD 60 et 80	514327	213,76
TSHD - TSVD 105 et 110	514329	306,95
TSHD - TSVD 140, 195 et 250	514331	374,02



Silencieux de souche

TSH 7	514341	219,70
TSHD - TSVD 10 et 20	514343	330,20
TSHD - TSVD 30 et 40	514345	399,06
TSHD - TSVD 60 et 80	514347	492,52
TSHD - TSVD 105 et 110	514349	902,50
TSHD - TSVD 140, 195 et 250	514351	1252,09



Kits de basculement

10/20	514334	122,22
30/40	514335	129,99
60/80	514336	148,20
105/110	514337	152,22
140/195	514338	166,55
250	514339	170,61



Costières

	horizontales		inclinaées 10 à 45°	
10/20	514501	178,78	514511	332,56
30/40	514503	204,40	514513	401,59
60/80	514505	239,37	514515	499,42
105/110	514507	293,94	514517	846,51
140/195/250	514509	333,64	514519	1191,30



Disjoncteurs 1 vitesse

boîtier avec disjoncteur thermique de protection assurant la tension mono 230 V commande locale IP55, monophasée

TSHD - TSVD 10.4 - 20.4 - 20.6 - 30.6	514425	127,41
TSHD - TSVD 40.6 - 60.6	514427	127,41
TSHD - TSVD 30.4 - 80.6	514429	127,41
TSHD - TSVD 40.4	514431	127,41



Disjoncteurs 1 vitesse tension tri 230 V

TSHD - TSVD 10.4 - 20.4 - 20.6 - 30.6 - 60.8 - 80.8	514425	127,41
TSHD - TSVD 10.2 - 30.4 - 40.4 - 40.6 - 60.6 - 80.6 - 105.8	514427	127,41
TSHD - TSVD 60.4 - 105.6 - 110.8	514429	127,41
TSHD - TSVD 80.4 - 110.6 - 140.8	514431	127,41
TSHD - TSVD 105.4 - 195.8	514433	155,28
TSHD - TSVD 140.6 - 195.6	514434	193,32
TSHD - TSVD 250.8	514435	193,32

BATIMENT TERTIAIRE

Tourelles d'extraction et de désenfumage 400 °C - 2h

TARIFS



Disjoncteurs 1 vitesse	tension tri 400 V	
TSHD - TSVD 60.4 - 105.6 - 110.8	514427	127,41
TSHD - TSVD 80.4 - 110.6 - 140.8	514429	127,41
TSHD - TSVD 105.4 - 140.6 - 195.8	514431	127,41
TSHD - TSVD 195.6 - 250.8	514433	155,28
TSHD - TSVD 250.6	514434	193,32



Démarreurs 2 vitesses triphasé 400 V		
TSHD - TSVD 30.4/8 - 40.4/8 - 60.4/8	514364	615,41
TSHD - TSVD 80.4/8 - 110.6/12	514366	615,41
TSHD - TSVD 105.4/8	514368	615,41
TSHD - TSVD 140.6/12 - 195.6/12	514371	633,95
TSHD - TSVD 60.4/6	514378	473,59
TSHD - TSVD 60.6/8 - 80.6/8	514380	473,59
TSHD - TSVD 105.6/8 - 110.6/8	514384	473,59
TSHD - TSVD 140.6/8	514386	473,59
TSHD - TSVD 105.4/6	514388	473,59
TSHD - TSVD 195.6/8	514390	491,75



Variateurs monophasé 230 V		
3A / TSHD - TSVD 10.4, 20.4, 20.6, 30.4, 30.6, 40.6, 60.6	514444	142,91
6A / TSHD - TSVD 30.4, 40.4, 80.6	514446	182,96



Coffrets auto transfo multi-positions monophasé 230 V		
4 positions / 2.5A TSHD - TSVD 10.4, 20.4, 20.6, 30.6, 40.6, 60.6	514440	375,13



Coffrets auto transfo multi-positions triphasé 400 V		
5 positions / 1.4A TSHD - TSVD 10.4, 20.4, 20.6, 30.4, 30.6, 40.6, 60.6, 80.6	514448	949,19
5 positions / 2.5A TSHD - TSVD 40.4 - 105.6	514450	997,55
5 positions / 3.8A TSHD - TSVD 60.4 - 110.6	514452	1120,59
5 positions / 5A TSHD - TSVD 80.4	514454	1387,93
5 positions / 6.8A TSHD - TSVD 105.4, 140.6	514456	1609,12
5 positions / 8.5A TSHD - TSVD 195.6	514458	1797,13

Interrupteurs 1 vitesse cadenassable avec renvoi de position O / F		
16A - TSHD / TSVD : taille 10 à 140 (2, 4, 6, 8 pôles) 195.6 (tri 400) - 195.8 - 250.8 (tri 400)	514461	91,79
23A - TSHD / TSVD : 195.6 (tri 230) - 250.6 (tri 400) - 250.8 (tri 230)	514464	127,07
45A - TSHD / TSVD : 250.6 (tri 230)	514465	194,59

Interrupteurs 2 vitesses cadenassable avec renvoi de position O / F		
16A - TSHD / TSVD : taille 10 à 140 (4/6, 4/8, 6/8, 6/12 pôles) 195.6/12	514467	207,11
23A - TSHD / TSVD : taille 195.6/8	514466	258,17